# **UnderStandingAmerica**Study

UAS 40: CURRENT EVENTS AND MAKING ENDS MEET



Survey author(s): Arie Kapteyn, Htaynwah Saw on Poverty, Miles Kimball et al on Election Fielded March 18, 2016 - July 13, 2016

# **Contents**

1	Introduction 1.1 Topics	3
2	Survey Response And Data 2.1 Sample selection and response rate	4
3	Standard Variables	6
4	Background Demographics	11
5	Missing Data Conventions	15
6	Routing Syntax	16
7	Survey with Routing election	23

### 1 INTRODUCTION

This UAS panel survey, titled "UAS 40: Current Events and Making Ends Meet", asks respondents to rate the suitability of presidential candidates for the job of President of the United States, along with some questions about how easy it is to make ends meet, both for the respondent, their family and for some others. This survey is no longer in the field. Respondents were paid \$5 to complete the survey.

### 1.1 Topics

This survey contains questions (among others) on the following topics: Income, Politics. A complete survey topic categorization for the UAS can be found here.

### 1.2 Experiments

This survey includes experiment(s) of the following type(s): Auxiliary Randomization, Vignettes With Randomly Determined Individual Characteristics. Please refer to explanatory comments in the Routing section for detailed information. A complete survey experiment categorization for the UAS can be found here.

### 1.3 Citation

Each publication, press release or other document that cites results from this survey must include an acknowledgment of UAS as the data source and a disclaimer such as, 'The project described in this paper relies on data from survey(s) administered by the Understanding America Study, which is maintained by the Center for Economic and Social Research (CESR) at the University of Southern California. The content of this paper is solely the responsibility of the authors and does not necessarily represent the official views of USC or UAS.' For any questions or more information about the UAS, contact Tania Gutsche, Project and Panel Manager, Center for Economic and Social Research, University of Southern California, at tgutsche@usc.edu.

# 2 SURVEY RESPONSE AND DATA

### 2.1 Sample selection and response rate

The sample selection for this survey was:

All active respondents.

As such, this survey was made available to 3640 UAS participants. Of those 3640 participants, 3016 completed the survey and are counted as respondents. Of those who are not counted as respondents, 20 started the survey without completing and 604 did not start the survey. The overall response rate was 82.86%.

Note: We are unable to provide sample weights for a small number of UAS members (see the Sample weighting section below for details). If they completed the survey, these members are included in the data set with a weight of zero, but accounted for in the computation of total sample size and survey response rate.%.


The detailed survey response rate is as follows:

UAS40 - Response Overview	
Size of selected sample	3640
Completed the survey	3016
Started but did not complete the survey	20
Did not start the survey	604
Response rate	82.86%

### 2.2 Timings

The survey took respondents an average of 8 minutes, and the full distribution of survey response times is available in the figure below. Times per question are available upon request.

### Distribution of Respondents' Survey Response Times



Minutes to Complete Survey

# 2.3 Sample & Weighting

Weights are included in the data set for this survey. This survey dataset may contain respondents with a weight of zero. These respondents belong to a small group of UAS members for whom sample weights cannot be computed due to non-probability recruitment for special projects. Hence, while they are accounted for in the total number of survey respondents, they do not contribute to any statistics using sample weights. For more details on the UAS weighing procedures please refer to the UAS Weighting Procedures V1. Please contact UAS staff with any questions.

### 3 STANDARD VARIABLES

Each Understanding America Study data contains a series of standard variables, consisting of individual, household and sample identifiers, language indicator, time stamps and a rating by the respondent of how much he or she liked the survey:

- uasid: the identifier of the respondent. This identifier is assigned to a respondent at recruitment and stays with the respondent throughout each and every survey he/she participates in. When analyzing data from multiple surveys, the 'uasid' can be used to merge data sets.
- o uashhid: the household identifier of the respondent. Every member is assigned a household identifier, stored in the variable 'uashhid'. For the primary respondent this identifier equals his or her 'uasid'. All other eligible members of the primary respondent's household (everyone who is 18 or older in the household) who become UAS respondents receive the 'uasid' of the primary respondent as their household identifier. The identifier 'uashhid' remains constant over time for all respondents. Thus it is always possible to find the original UAS household of an UAS panel member (even after they, for example, have moved out to form another household).
- o survhhid: uniquely identifies the household a UAS panel member belongs to in a given survey. For instance, if the primary respondent and his/her spouse are both UAS members at the time of a given survey, they both receive the same 'survhhid' identifier for that survey. If they subsequently split, they receive two different 'survhhid' in subsequent surveys. They, however, always share the same 'uashhid'. The identifier 'survhhid' is set to missing (.) if no other household members are UAS panel members at the time of the survey. Since individuals can answer the same survey at different points in time (which can be relatively far apart if the survey is kept in the field for a prolonged time), it may be possible that, within the same data set, household members have different 'survhhid' reflecting different household compositions at the time they answered the survey. For instance, suppose that the primary respondent and his/her spouse are both UAS members. If the primary respondent answers the survey when he/she is living with the spouse, but the spouse answers the survey when the couple has split, they receive different 'survhhid'. Hence, the variable 'survhhid' identifies household membership of UAS panel members, at the time the respondent answers the survey. Note: in the My Household survey 'survhhid' is set to unknown (.u) for respondents who last participated in the My Household survey prior to January 21, 2015.
- o uasmembers: is the number of other household members who are also UAS panel members at the time of the survey. Since individuals can answer the same survey at different points in time (which can be relatively far apart is the survey is kept in the field for a prolonged time), it may be possible that, within the same data set, the primary respondent of a household has a value of '0', whereas the second UAS household respondent has a value of '1'. Therefore 'uasmembers' should be interpreted as the

number of household and UAS panel members at the time the respondent answers the survey. Note: in the My Household survey 'uasmembers' is set to unknown (.u) for respondents who last participated in the My Household survey prior to January 21, 2015.

- sampleframe: indicates the sampling frame from which the household of the respondent was recruited. All UAS recruitment is done through address based sampling (ABS) in which samples are acquired based on postal records. Currently, the variable 'sampleframe' takes on four values reflecting four distinct sample frames used by the UAS over the year (in future data sets the number of sample frames used for recruitment may increase if additional specific populations are targeted in future recruitment batches):
  - 1. U.S. National Territory: recruited through ABS within the entire U.S.
  - Areas high concentration Nat Ame: recruited through ABS in areas with a high concentration of Native Americans in the zip-code. Within these batches, individuals who are not Native Americans are not invited to join the UAS.
  - 3. Los Angeles County: recruited through ABS within Los Angeles County.
  - 4. California: recruited through ABS within California.

Note: prior to March 6, 2024 this variable was called sampletype and had the following value labels for the above list in UAS data sets:

- 1. Nationally Representative Sample: recruited through ABS within the entire U.S.
- 2. Native Americans: recruited through ABS in areas with a high concentration of Native Americans. Within these batches, individuals who are not Native Americans are not invited to join the UAS.
- 3. LA County: recruited through ABS within Los Angeles County.
- 4. California: recruited through ABS within California.
- **batch**: indicates the batch from which the respondent was recruited. Currently, this variable takes the following values (in future data sets the number of batches may increase as new recruitment batches are added to the UAS):
  - 1. Prob Sample, ASDE 2014/01
  - 2. Prob Sample, ASDE 2014/01
  - 3. Prob Sample, ASDE 2014/01
  - 4. Non-Prob Sample, 2015/05
  - 5. Prob Sample, MSG 2015/07
  - 6. Prob Sample, MSG 2016/01
  - 7. Prob Sample, MSG 2016/01
  - 8. Prob Sample, MSG 2016/01
  - 9. Prob Sample, MSG 2016/02

- 10. Prob Sample, MSG 2016/03
- 11. Prob Sample, MSG 2016/04
- 12. Prob Sample, MSG 2016/05
- 13. Prob Sample, MSG 2016/08
- 14. Prob Sample, MSG 2017/03
- 15. Prob Sample, MSG 2017/11
- 16. Prob Sample, MSG 2018/02
- 17. Prob Sample, MSG 2018/08
- 18. Prob Sample, MSG 2019/04
- 19. Prob Sample, MSG 2019/05
- 20. Prob Sample, MSG 2019/11
- 21. Prob Sample, MSG 2020/08
- 22. Prob Sample, MSG 2020/10
- 23. Prob Sample, MSG 2021/02
- 24. Prob Sample, MSG 2021/08
- 25. Prob Sample, MSG 2021/08
- 26. Prob Sample, MSG 2022/02
- 27. Prob Sample, MSG 2022/02
- 28. Prob Sample, MSG 2022/08
- 29. Prob Sample, MSG 2022/11
- 30. Prob Sample, MSG 2022/11
- 31. Prob Sample, MSG 2023/01
- 32. Prob Sample, MSG 2023/06
- 33. Non-Prob Sample, MSG 2023/09
- 34. Prob Sample, MSG 2023/10

Note: prior to March 6, 2024 this variable had the following value labels for the above list in UAS data sets:

- 1. ASDE 2014/01 Nat.Rep.
- 2. ASDE 2014/01 Native Am.
- 3. ASDE 2014/11 Native Am.
- 4. LA County 2015/05 List Sample
- 5. MSG 2015/07 Nat.Rep.
- 6. MSG 2016/01 Nat.Rep. Batch 2
- 7. MSG 2016/01 Nat.Rep. Batch 3

- 8. MSG 2016/01 Nat.Rep. Batch 4
- 9. MSG 2016/02 Nat.Rep. Batch 5
- 10. MSG 2016/03 Nat.Rep. Batch 6
- 11. MSG 2016/04 Nat.Rep. Batch 7
- 12. MSG 2016/05 Nat.Rep. Batch 8
- 13. MSG 2016/08 LA County Batch 2
- 14. MSG 2017/03 LA County Batch 3
- 15. MSG 2017/11 California Batch 1
- 16. MSG 2018/02 California Batch 2
- 17. MSG 2018/08 Nat.Rep. Batch 9
- 18. MSG 2019/04 LA County Batch 4
- 19. MSG 2019/05 LA County Batch 5
- 20. MSG 2019/11 Nat. Rep. Batch 10
- 21. MSG 2020/08 Nat. Rep. Batch 11
- 22. MSG 2020/10 Nat. Rep. Batch 12
- 22. 1000 2020/10 Nat. 11cp. Batch 12
- 23. MSG 2021/02 Nat. Rep. Batch 13
- 24. MSG 2021/08 Nat. Rep. Batch 15
- 25. MSG 2021/08 Nat. Rep. Batch 16
- 26. MSG 2022/02 Nat. Rep. Batch 17 (priority)
- 27. MSG 2022/02 Nat. Rep. Batch 17 (regular)
- 28. MSG 2022/08 Nat. Rep. Batch 18
- 29. MSG 2022/11 LA County Batch 6
- 30. MSG 2022/11 Nat. Rep. Batch 20
- 31. MSG 2023/01 Nat. Rep. Batch 21
- 32. MSG 2023/06 Nat. Rep. Batch 22
- 33. MSG 2023-09 Native Am. Batch 3
- 34. MSG 2023-10 Nat. Rep. Batch 23
- primary\_respondent: indicates if the respondent was the first person within the household (i.e. to become a member or whether s/he was added as a subsequent member. A household in this regard is broadly defined as anyone living together with the primary respondent. That is, a household comprises individuals who live together, e.g. as part of a family relationship (like a spouse/child/parent) or in context of some other relationship (like a roommate or tenant).
- hardware: indicates whether the respondent ever received hardware or not. Note: this variable should not be used to determine whether a respondent received hardware at a given point in time and/or whether s/he used the hardware to participate in a survey. Rather, it indicates whether hardware was ever provided:

- 1. None
- 2. Tablet (includes Internet)
- **language**: the language in which the survey was conducted. This variable takes a value of 1 for English and a value of 2 for Spanish.
- start\_date (start\_year, start\_month, start\_day, start\_hour, start\_min, start\_sec): indicates the time at which the respondent started the survey.
- end\_date (end\_year, end\_month, end\_day, end\_hour, end\_min, end\_sec): indicates the time at which the respondent completed the survey.
- o cs\_001: indicates how interesting the respondent found the survey.

### 4 BACKGROUND DEMOGRAPHICS

Every UAS survey data set includes demographic variables, which provide background information about the respondent and his/her household. Demographic information such as age, ethnicity, education, marital status, work status, state of residence, family structure is elicited every quarter through the "My Household" survey. The demographic variables provided with each survey are taken from the most recent 'MyHousehold' survey answered by the respondent. If at the time of a survey, the information in "My Household" is more than three months old, a respondent is required to check and update his or her information before being able to take the survey.

The following variables are available in each survey data set:

- o gender: the gender of the respondent.
- o dateofbirth\_year: the year of birth of the respondent.
- o age: the age of the respondent at the start of the survey.
- o **agerange**: if the respondent's age cannot be calculate due to missing information, 'agerange' indicates the approximate age. Should a value for both the 'age' and 'agerange' be present, then 'age' takes precedence over 'agerange'.
- o citizenus: indicates whether the respondent is a U.S. citizen.
- o bornus: indicates whether the respondent was born in the U.S.
- **stateborn**: indicates the state in which the respondent was born. This is set to missing (.) if the respondent was not born in the U.S.
- **countryborn**: indicates the country in which the respondent was born. This is set to missing (.) if the respondent was born in the U.S.
- **countryborn\_other**: indicates the country of birth if that country is not on the drop down list of countries shown to the respondent'.
- **statereside**: the state in which the respondent is living.
- immigration\_status: indicates whether the respondent is an immigrant. It takes one
  of the following values: 0 Non-immigrant, 1 First generation immigrant (immigrant who
  migrated to the U.S), 2 Second generation immigrant (U.S.-born children of at least
  one foreign-born parent), 3 Third generation immigrant (U.S.-born children of at least
  one U.S.-born parent, where at least one grandparent is foreign-born), or 4 Unknown
  immigrant status.
- maritalstatus: the marital status of the respondent.
- **livewithpartner**: indicates whether the respondent lives with a partner.

- education: the highest level of education attained by the respondent.
- hisplatino: indicates whether the respondent identifies him or herself as being Hispanic or Latino. This variable is asked separately from race.
- hisplatinogroup: indicates which Hispanic or Latino group a respondent identifies him or herself with. This is set to missing (.) if the respondent does not identify him or herself as being Hispanic or Latino.
- white: indicates whether the respondent identifies him or herself as white (Caucasian).
- **black**: indicates whether the respondent identifies him or herself as black (African-American).
- nativeamer: indicates whether the respondent identifies him or herself as Native American (American Indian or Alaska Native).
- asian: indicates whether the respondent identifies him or herself as Asian (Asian-American).
- pacific: indicates whether the respondent identifies him or herself as Native Hawaiian or Other Pacific Islander.
- o race: indicates the race of the respondent as singular (e.g., '1 White' or '2 Black') or as mixed (in case the respondent identifies with two or more races). The value '6 Mixed' that the respondent answered 'Yes' to at least two of the single race categories. This variable is generated based on the values of the different race variables (white, black, nativeamer, asian, pacific). This composite measure is not conditional on hisplatino, so an individual may identify as Hispanic or Latino, and also as a member of one or more racial groups.
- working: indicates whether the respondent is working for pay.
- o sick\_leave: indicates whether the respondent is not working because sick or on leave.
- unemp\_layoff: indicates whether the respondent is unemployed or on lay off.
- unemp\_look: indicates whether the respondent is unemployed and looking for a job.
- retired: indicates whether the respondent is retired.
- o disabled: indicates whether the respondent has a disability.
- o If\_other: specifies other labor force status.
- laborstatus: indicates the labor force status of the respondent as singular (e.g., '1 Working for pay' or '2 On sick or other leave') or as mixed (in case the respondent selects two or more labor statuses). The value '8 Mixed' indicates that the respondent answered 'Yes' to at least two of the single labor force status variables. This variable is generated based on the values of the different labor status variables (working, sick\_leave, unempl\_layoff, unempl\_look, retired, disabled, lf\_other).

- employmenttype: indicates the employment type of the respondent (employed by the government, by a private company, a nonprofit organization, or self-employed).
   This is set to missing (.) if the respondent is not currently working or currently on sick or other leave.
- workfullpart: indicates whether the respondent works full or part-time. This is set to missing (.) if the respondent is not currently working or currently on sick or other leave.
- hourswork: indicates the number of hours the respondent works per week. This is set to missing (.) if the respondent is not currently working or currently on sick or other leave.
- **hhincome**: is the total combined income of all members of the respondent's household (living in their household) during the past 12 months.
- **anyhhmember**: indicates whether there were any members in the respondent's household at the time he/she answered the survey as reported by the respondent.
- hhmembernumber: indicates the number of household members in the respondent's household at the time of the survey as reported by the respondent. It may be that 'anythmember' is 'Yes', but 'hhmembernumber' is missing if the respondent did not provide the number of household members at the time of the survey.
- hhmemberin\_#: indicates whether a household member is currently in the household as reported by the respondent. Household members are never removed from the stored household roster and their information is always included in survey data sets. The order of the roster is the same order in which household members were specified by the respondent in the 'MyHousehold' survey. The order is identified by the suffix \_# (e.g., \_1 indicates the first household member, \_2 the second household member, etc.).

As an example, if the first household member is in the household at the time of the survey, 'hhmemberin\_1' is set to '1 HH Member 1 is in the HH'; if he/she has moved out, 'hhmemberin\_1' is set to '0 HH member 1 is no longer in the HH'. Since information of other household members (stored in the variables listed below) is always included in survey data sets, information about 'hhmemberin\_1' is available whether this person is still in the household or has moved out.

- **hhmembergen**\_#: indicates the gender of another household member as reported by the respondent.
- hhmemberage\_#: indicates the age of another household member. The age is derived from the month and year of birth of the household member as reported by the respondent.
- **hhmemberrel**\_#: indicates the relationship of the respondent to the other household member as reported by the respondent.

- o hhmemberuasid\_#: is the 'uasid' of the other household member if this person is also a UAS panel member. It is set to missing (.) if this person is not a UAS panel member at the time of the survey. Since this identifier is directly reported by the respondent (chosen from a preloaded list), it may differ from the actual (correct) 'uasid' of the UAS member it refers to because of reporting error. Also, this variable should not be used to identify UAS members in a given household at the time of the survey. This is because the variables 'hhmemberuasid\_#' are taken from the most recent 'My Household' and changes in household composition involving UAS members may have occurred between the time of the respondent answered 'My Household' and the time the respondent answers the survey. To follow UAS members of a given household, it is advised to use the identifiers 'uashhid' and 'survhhid'.
- **lastmyhh\_date**: the date on which the demographics variables were collected through the 'My Household' survey.

## 5 MISSING DATA CONVENTIONS

Data files provide so-called clean data, that is, answers given to questions that are not applicable anymore at survey completion (for example because a respondent went back in the survey and skipped over a previously answered question) are treated as if the questions were never asked. In the data files all questions that were asked, but not answered by the respondent are marked with (.e). All questions never seen by the respondent (or any dirty data) are marked with (.a). The latter may mean that a respondent did not view the question because s/he skipped over it; or alternatively that s/he never reached that question due to a break off. If a respondent did not complete a survey, the variables representing survey end date and time are marked with (.c). Household member variables are marked with (.m) if the respondent has less household members (e.g. if the number of household members is 2, any variables for household member 3 and up are marked with (.m).

UAS provides data in STATA and CSV format. Stata data sets come with include variable labels that are not available in the CSV files. Value labels are provided for single-response answer option. In STATA these labels will include the labels 'Not asked' and 'Not answered' for (.a) and (.e), and will show in tabulations such as 'tab q1, missing'. For multiple-response questions a binary variable is created for each answer option indicating whether the option was selected or not. A summary variable is also provided in string format reflecting which options were selected and in which order. For example, if a question asked about favorite animals with options cat, dog, and horse, then if a respondent selected horse and then cat, the binary variables for horse and cat will be set to yes, while the overall variable would have a string value of '3-1'. If no answer was given, all binary variables and the summary variable will be marked with '.e'.

Questions that are asked multiple times are often implemented as so-called array questions. Supposing the name of such question was Q1 and it was asked in 6 different instances, your data set would contain the variables Q1\_1\_ to Q1\_6\_. To illustrate, if a survey asked the names of all children, then child\_1\_ would contain the name of the first child the respondent named and so on.

More information about the UAS data in general can be found on the UAS Data Pages web site.

### **6 ROUTING SYNTAX**

The survey with routing presented in the next section includes all of the questions that make up this survey, the question answers when choices were provided, and the question routing. The routing includes descriptions of when questions are grouped, conditional logic that determines when questions are presented to the respondent, randomization of questions and answers, and fills of answers from one question to another.

If you are unfamiliar with conditional logic statements, they are typically formatted so that *if* the respondent fulfills some condition (e.g. they have a cellphone or a checking account), *then* they are presented with some other question or the value of some variable is changed. If the respondent does not fulfill the condition (e.g. they are not a cellphone adopter or they do not have a checking account), something *else* happens such as skipping the next question or changing the variable to some other value. Some of the logic involved in the randomization of questions or answers being presented to the respondent is quite complex, and in these instances there is documentation to clarify the process being represented by the routing.

Because logic syntax standards vary, here is a brief introduction to our syntax standards. The syntax used in the conditional statements is as follows: '=' is equal to, '<' is less than, '>' is greater than, and '!=' is used for does not equal. When a variable is set to some number N, the statement looks like 'variable := N'.

The formatting of the questions and routing are designed to make it easier to interpret what is occurring at any given point in the survey. Question ID is the bold text at the top of a question block, followed by the question text and the answer selections. When a question or variable has associated data, the name links to the appropriate data page, so you can easily get directly to the data. Text color is used to indicate the routing: red is conditional logic, gold is question grouping, green is looping, and orange is used to document randomization and other complex conditional logic processes. The routing is written for a computer to parse rather than a human to read, so when the routing diverges significantly from what is displayed to the respondent, a screenshot of what the respondent saw is included.

The name of the randomization variables are defined in proximity to where they are put into play, and like the question ID the names of the randomization variables can be used to link directly to the associated data page.

### 7 SURVEY WITH ROUTING

### main\_intro (Section Base)

In this short survey we will ask you a few questions about how you rate the suitability of the current Presidential candidates for the job of President of the United States. After that we will ask you some questions about how easy it is to make ends meet, both for you and your family and for some others.

### Start of section Election

/\* The first series of questions ask about the US presidential candidates. The order in which these candidates are presented is randomized in accordance with the variables el001\_order\_1 through el001\_order\_5. Note though that in the data no de-randomization is required. That is, for both el001 and el002 the values correspond as follows:

- 1. Hillary Clinton
- 2. Ted Cruz
- 3. John Kasich
- 4. Bernie Sanders
- 5. Donald Trump

Similarly, the series el003a through el003e asking about how candidates relate to the best and worst candidate selected in el001 and el002 is randomized in order, but the questions always correspond to the different candidates as follows:

```
    el003a: Hillary Clinton
    el003b: Ted Cruz
    el003c: John Kasich
    el003d: Bernie Sanders
    el003e: Donald Trump
    */
    IF (sizeof(el001_order) = 0) THEN
    el001_order := shuffleArray(array(1 →"1", 2 →"2", 3 →"3", 4 →"4", 5 →"5"))
    el003_questions := array(1 →"el003a", 2 →"el003b", 3 →"el003c", 4 →"el003d", 5 →"el003e")
    END OF IF
```

### el001 (best president in section Election)

We would like to know who you think would make the best and worst president. We are not asking who you think is likely to be elected, but who would do a good job.

Who do you think would be the **best** President of the United States?

- 1 Hillary Clinton
- 2 Ted Cruz
- 3 John Kasich
- 4 Bernie Sanders
- 5 Donald Trump

```
el002_order := el001_order
el002_order(array_search(el001, el002_order)) := empty
```

### **el002** (worst president in section Election)

Who do you think would be the worst President of the United States?

- 1 Hillary Clinton
- 2 Ted Cruz
- 3 John Kasich
- 4 Bernie Sanders
- 5 Donald Trump

/\* In the questions el003a through el003e the respondent is asked to rate the presidential candidates who were not selected in el001 and el002 on a scale on which the worst candidate is 0 and the best candidate is 100. How this scale is introduced depends on the value of el003\_randomizer. If it takes value 1, then a short introduction is provided. Otherwise a longer introduction with examples is provided. Those examples are illustrated using a randomly selected candidate (other than the ones selected in el001 and el002), as captured in el003\_candidate. NOTE: after completion of the survey by the first 500 respondents, all following respondents were assigned to receive the short introduction. \*/

```
IF (el003_randomizer = empty) THEN
  el003_temp := mt_rand(1,10)

IF (el003_temp < 3) THEN
  | el003_randomizer := 1

ELSE
  | el003_randomizer := 2

END OF IF</pre>
```

Fill code of question FLLabel executed

IF (el003\_randomizer = 2) THEN

END OF IF

```
IF el003_candidate = EMPTY OR inArray(el003_candidate, array(el001, el002)) THEN
```

el003\_candidate := generateRandomExcluding(el001, el002)

### END OF IF

### **ELSE**

el003\_candidate := empty

### **END OF IF**

```
el001_dummy := el001
el002_dummy := el002
```

### IF el003\_randomizer = 2 THEN

### GROUP OF QUESTIONS PRESENTED ON THE SAME SCREEN

### el003\_intro\_long (Section Election)

Instructions

Now, we want you to rate the other candidates using a special scale, where [worst president[]] is a 0 and [best president[]] is a 100. Here's how to use the scale. The idea is to compare whether you would rather have, say, [randomly selected candidate[]] become president for sure or wake up on election day with an election between [best president[]] and [worst president[]] in which either has a real chance to win.

Here are two examples of how to use the scale to rate [randomly selected candidate[]]:

Example 1: If you rate [randomly selected candidate[]] at 50, the slider would look like:

Choosing 50 means that: [randomly selected candidate[]] winning is equally as good as waking up on election day with [best president[]] having a 50% chance of winning (and [worst president[]] having the remaining 50% chance of winning).

Example 2: If you rate [randomly selected candidate[]] at 75, the slider would look like:

Choosing 75 means that: [randomly selected candidate[]] winning is equally as good as waking up on election day with [best president[]] having a 75% chance of winning (and [worst president[]] having the remaining 25% chance of winning).

Figure 1: Respondent instructions for long introduction

	ndidates using a special scale, where Donald Trump is a 0 and Hillary Clinton is a 100. Here's how to use the s ernie Sanders become president for sure or wake up on election day with an election between Hillary Clinton	
either has a real chance to win.		
Here are two examples of how to us	the scale to rate Bernie Sanders:	
Example 1: If you rate Bernie San	ers at 50, the slider would look like:	
Bernie Sanders		
0		
Trump	Clinton	
Or type in: 50		
	nders winning is equally as good as waking up on election day with Hillary Clinton having a 50% chance of ance of winning).	winning (and Donald
Choosing 50 means that: Bernie S		winning (and Donald
Choosing 50 means that: Bernie S Trump having the remaining 50%		winning (and Donald
Choosing 50 means that: Bernie S Trump having the remaining 50%	ance of winning).	winning (and Donald
Choosing 50 means that: Bernie S Trump having the remaining 50%  Example 2: If you rate Bernie Sar Bernie Sanders	ance of winning). ers at 75, the slider would look like:	winning (and Donald
Choosing 50 means that: Bernie S Trump having the remaining 50%  Example 2: If you rate Bernie Sar Bernie Sanders 0	ance of winning).  ers at 75, the slider would look like:	winning (and Donald
Choosing 50 means that: Bernie S Trump having the remaining 50%  Example 2: If you rate Bernie Sar Bernie Sanders	ance of winning). ers at 75, the slider would look like:	winning (and Donald
Choosing 50 means that: Bernie S Trump having the remaining 50%  Example 2: If you rate Bernie Sar Bernie Sanders 0	ance of winning).  ers at 75, the slider would look like:	winning (and Donald
Choosing 50 means that: Bernie S Trump having the remaining 50% i	ance of winning).  ers at 75, the slider would look like:	

### **END OF GROUP**

### **END OF IF**

### GROUP OF QUESTIONS PRESENTED ON THE SAME SCREEN

### IF el003\_randomizer = 1 THEN

### el003\_intro\_short (Section Election)

Now, we want you to rate the other candidates using a special scale, where [worst president[]] is a 0 and [best president[]] is a 100. Please use this special scale to rate the following three candidates:

Ted Cruz
Trump — Clinton

Bernie Sanders
Trump — Clinton

John Kasich

# Figure 2: Respondent screen for short introduction Now, we want you to rate the other candidates using a special scale, where Donald Trump is a 0 and Hillary Clinton is a 100. Please use this special scale to rate the following three candidates: Ted Cruz 100 Trump Clinton Or type in: John Kasich

**ELSE** 

Trump
Or type in:

### el003\_intro\_longshort (Section Election)

Please use the special scale we just described to rate the following three candidates:

100

### John Kasich

Choosing 36 means that: John Kasich winning is equally as good as waking up on election day with Hillary Clinton having a 36% chance of winning (and Donald Trump having the remaining 64% chance of winning).


### Bernie Sanders

Choosing 36 means that: Bernie Sanders winning is equally as good as waking up on election day with Hillary Clinton having a 36% chance of winning (and Donald Trump having the remaining 64% chance of winning).

### Ted Cruz

Choosing 52 means that: Ted Cruz winning is equally as good as waking up on election day with Hillary Clinton having a 52% chance of winning (and Donald Trump having the remaining 4

Figure 3: Respondent screen for long introduction



### END OF IF

### SUBGROUP OF QUESTIONS

/\* In the loop below the respondent is asked about the presidential candidates that s/he did not select as the best or worst president in el001 or el002 respectively. The order in which these candidates are presented is identical to the order in el001 and el002, as captured in the el001\_order\_1 to el001\_order\_5 variables. \*/

### LOOP FROM 1 TO 5

IF el001\_order(el\_cnt) != el001 AND el001\_order(el\_cnt) != el002 THEN

Value of question el003\_questions(el001\_order(el\_cnt)) asked as question

/\* el003a: Hillary Clinton el003b: Ted Cruz el003c: John Kasich el003d: Bernie Sanders el003e: Donald Trump \*/

### | END OF IF

**END OF LOOF** 

### **END OF SUBGROUP**

### **END OF GROUP**

### End of section **Election**

### Start of section Poverty

### p\_intro (Section Poverty)

Now we will ask you a number of questions about how easy it is to make ends meet nowadays. There are no good or bad answers. We just want to know your opinion. Many thanks for your help!

### **p001** (difficulty make ends meet in section Poverty)

Overall, how difficult is it for your household to make ends meet with your current household income?

- 1 Not difficult at all
- 2 Somewhat difficult
- 3 Moderately difficult
- 4 Very difficult
- 5 Extremely difficult

### **p002** (hh income in section Poverty)

What was the total income of your household in 2015? That is the sum of all incomes of everyone in your household?

RANGE 0.0..99999999.0

### **p003** (income needed make ends meet in section Poverty)

Living where you do now and meeting the expenses you consider necessary, what would be the very smallest income your household would need to make ends meet? RANGE 0.0..99999999.0

/\* The order in which the respondent is asked what a very bad to very good income would be is randomized based on the value of **p004\_order** It takes a value of 1 for very bad to very good and 2 for very good to very bad. \*/

IF (p004\_order = empty) THEN
p004\_order := mt\_rand(1,2)
END OF IF

### GROUP OF QUESTIONS PRESENTED ON THE SAME SCREEN

**p004\_intro** (income needed make ends meet in section Poverty)
Which household income per year would you, in your circumstances, consider to be very bad? And bad? Insufficient? Sufficient? Good? Very good?

### SUBGROUP OF QUESTIONS

### IF p004\_order = 1 THEN

**p004a** (Very bad in section Poverty) Very bad RANGE 0.0..9999999.0

**p004b** (bad in section Poverty) Bad RANGE 0.0..99999999.0

**p004c** (Insufficient in section Poverty) Insufficient RANGE 0.0..99999999.0

**p004d** (Sufficient in section Poverty) Sufficient RANGE 0.0..99999999.0

**p004e** (Good in section Poverty) Good RANGE 0.0..99999999.0

**p004f** (Very good in section Poverty) Very good RANGE 0.0..99999999

### **ELSE**

**p004f** (Very good in section Poverty) Very good RANGE 0.0..99999999

**p004e** (Good in section Poverty) Good RANGE 0.0..99999999.0

**p004d** (Sufficient in section Poverty) Sufficient

RANGE 0.0..99999999.0

**p004c** (Insufficient in section Poverty) Insufficient RANGE 0.0..99999999.0

**p004b** (bad in section Poverty) Bad RANGE 0.0..99999999.0

**p004a** (Very bad in section Poverty) Very bad RANGE 0.0..99999999.0

END OF IF

**END OF SUBGROUP** 

### **END OF GROUP**

### p005\_intro (Section Poverty)

On the following screens we will show you 5 examples of families with varying household situations. Can you please tell us how difficult you think it is for these households to make ends meet? NOTE: it may take several moments for the next screen to appear. Please just wait until it has fully loaded. Thank you!

/\* In the loop below each respondent is presented with five hypothetical situations (vignettes). Each vignette represents a variation on household size and socioeconomic status (e.g. number and ages of children, if they rent or own their home). Respondents were asked to indicate how difficult it would be for each described household to make ends meet financially. The vignettes consist of household information provided by these survey participants in three earlier surveys: household demographics are from the My Household survey; rent and mortgage information are from the HRS Household Wealth Module, UAS21; household income information is from the HRS Income Module, UAS 24. There are 917 respondents whose information was available across the three surveys at the time of fielding of the UAS40 survey. Thus we constructed 917 vignettes based on their 917 individual household configurations.

Each respondent is shown five vignettes drawn randomly from the set of 917 vignettes we construct. The exact texts presented to the respondent are stored in variables flvignettes\_1\_ through flvignettes\_5\_. The names used in the vignettes are stored in flnames\_1\_ through flnames\_5\_. Note the number sandwiched between "\_" represents the vignette number. The vignettes vary along the following dimensions:

gender (stored in variables vignette\_gender\_1\_ through vignette\_gender\_5\_)

- marital status (vignette\_marital\_1\_ through vignette\_marital\_5\_)
- household size (vignette\_hhmembernumber\_1\_ through vignette\_hhmembernumber\_5\_;
   Maximal household size is 4)
- o number of children (vignette\_children\_a\_1\_ through vignette\_children\_a\_5\_)
- o age of each child in the vignettes conditional on households having children (vignette\_hhmemberage\_1\_1 through vignette\_hhmemberage\_4\_5; The first digit refers to the rank of the household member in the vignette; the second digit indicates which vignette the age refers to)
- total household income of vignette households (vignette\_hhtotincome\_1\_ through vignette\_hhtotincome\_5\_)
- rent (vignette\_h004\_ownrent\_1\_ through vignette\_h004\_ownrent\_5\_)
- mortgage (vignette\_totalmortgage\_1\_ through vignette\_totalmortgage\_5\_)

Figure 4 provides a screen shot of one randomly chosen vignette. Answers to the questions about the vignettes are stored in p005\_1\_ through p005\_5\_.

A subset of respondents got to evaluate their own household situations in vignette 5. If respondents evaluate their own household in vignette 5, ages of household members are modified by adding or subtracting any numbers between -2 and 2 to the actual ages to make it less obvious that they are evaluating their own household situation. The dummy variable – own\_vignette – takes a value of 1 if respondents got to evaluate their own vignettes in vignette 5, and 0 otherwise. The altered ages are stored in p005\_own\_age\_changed\_1\_through p005\_own\_age\_changed\_4\_. \*/

```
IF (sizeof(vignette_uasid) = 0) THEN
    dummy := getVignettes()
END OF IF
```

### LOOP FROM 1 TO 4

**p005** Overall, how difficult is it for NAME household to make ends meet?

- 1 Not difficult at all
- 2 Somewhat difficult
- 3 Moderately difficult
- 4 Very difficult
- 5 Extremely difficult

Figure 4: Respondent screen for hypothetical question



### **END OF LOOP**

# IF (vignette\_uasid(5) = empty) THEN dummy := getOwnVignette()

**END OF IF** 


cnt := 5

p005 Overall, how difficult is it for NAME household to make ends meet?

- 1 Not difficult at all
- 2 Somewhat difficult
- 3 Moderately difficult
- 4 Very difficult
- 5 Extremely difficult

Figure 5: Respondent screen for own hypothetical question

# **UnderStandingAmerica**Study



### End of section Poverty

### Start of section Closing

### CS\_001 (HOW PLEASANT INTERVIEW in section Closing)

Could you tell us how interesting or uninteresting you found the questions in this interview?

- 1 Very interesting
- 2 Interesting
- 3 Neither interesting nor uninteresting
- 4 Uninteresting
- 5 Very uninteresting

### **CS\_003** (comments in section Closing)

Do you have any other comments on the interview? Please type these in the box below.(If you have no comments, please click next to complete this survey.) STRING

### End of section Closing

 $^{\prime *}$  Please note that although question CS\_003 is listed in the routing, the answers are not included in the microdata in the event identifiable information is captured. Cleaned responses are available by request.  $^{*}/$