UnderStandingAmericaStudy

UAS 383: MEMORY AND COGNITIVE TESTS



Survey author(s): Giorgio Coricelli

Fielded June 21, 2021 - August 22, 2021

Contents

1	Introduction 1.1 Topics	3									
2	Survey Response And Data 2.1 Sample selection and response rate	4									
3	Standard Variables										
4	Background Demographics										
5	Missing Data Conventions										
6	Routing Syntax										
7	Survey with Routing task1	22									

1 INTRODUCTION

This UAS panel survey, titled "UAS 383: Memory and Cognitive Tests" asks respondents to complete 2 tasks. Task 1 is a decision making task, and Task 2 is a memory task, neither of which requires any particular skill or knowledge. In Task 3 respondents are asked to respond to some positive, negative, and neutral images. This survey is no longer in the field. Respondents were paid \$15 to complete the survey.

1.1 Topics

This survey contains questions (among others) on the following topics: Cognitive Abilities. A complete survey topic categorization for the UAS can be found here.

1.2 Experiments

This survey includes experiment(s) of the following type(s): Hypothetical Scenarios Experiments. Please refer to explanatory comments in the Routing section for detailed information. A complete survey experiment categorization for the UAS can be found here.

1.3 Citation

Each publication, press release or other document that cites results from this survey must include an acknowledgment of UAS as the data source and a disclaimer such as, 'The project described in this paper relies on data from survey(s) administered by the Understanding America Study, which is maintained by the Center for Economic and Social Research (CESR) at the University of Southern California. The content of this paper is solely the responsibility of the authors and does not necessarily represent the official views of USC or UAS.' For any questions or more information about the UAS, contact Tania Gutsche, Project and Panel Manager, Center for Economic and Social Research, University of Southern California, at tgutsche@usc.edu.

2 SURVEY RESPONSE AND DATA

2.1 Sample selection and response rate

The sample selection for this survey was:

Random selection of 1018 active English speaking respondents aged 30 or older.

As such, this survey was made available to 1018 UAS participants. Of those 1018 participants, 872 completed the survey and are counted as respondents. Of those who are not counted as respondents, 49 started the survey without completing and 97 did not start the survey. The overall response rate was 85.66%.

Note: We are unable to provide sample weights for a small number of UAS members (see the Sample weighting section below for details). If they completed the survey, these members are included in the data set with a weight of zero, but accounted for in the computation of total sample size and survey response rate.%.


The detailed survey response rate is as follows:

UAS383 - Response Overview				
Size of selected sample	1018			
Completed the survey	872			
Started but did not complete the survey	49			
Did not start the survey	97			
Response rate	85.66%			

2.2 Timings

The survey took respondents an average of 9 minutes, and the full distribution of survey response times is available in the figure below. Times per question are available upon request.

Distribution of Respondents' Survey Response Times



2.3 Sample & Weighting

Sample weights for this survey are computed following the general UAS Weighting Procedure. Specifically, we use a two-step process where we first compute base weights, which correct for unequal probabilities of sampling UAS members, and then generate final, post-stratification weights, which align the sample to the reference population along certain socio-economic dimensions. These are gender (male/female), race and ethnicity (White/Black/Other/Hispanic/Native American), age (18-39/40-49/50/59/60+), education (High school or less/Some college/Bachelor or more), Census regions (Northeast/Midwest//West, excl. CA/CA, excl. LAC, LAC). Benchmark distributions for these variables are derived from the 6 most recent available Current Population Survey (CPS) Basic Monthly Survey with respect to the survey's completion date. The reference population considered for the weights is the U.S. population of adults age 18 and older.

This survey dataset may contain respondents with a weight of zero. These respondents belong to a small group of UAS members for whom sample weights cannot be computed due to non-probability recruitment for special projects. Hence, while they are accounted for in the total number of survey respondents, they do not contribute to any statistics using sample weights. More information is available from the UAS Weighting Procedure. Please contact UAS staff with any questions.

3 STANDARD VARIABLES

Each Understanding America Study data contains a series of standard variables, consisting of individual, household and sample identifiers, language indicator, time stamps and a rating by the respondent of how much he or she liked the survey:

- uasid: the identifier of the respondent. This identifier is assigned to a respondent at recruitment and stays with the respondent throughout each and every survey he/she participates in. When analyzing data from multiple surveys, the 'uasid' can be used to merge data sets.
- o uashhid: the household identifier of the respondent. Every member is assigned a household identifier, stored in the variable 'uashhid'. For the primary respondent this identifier equals his or her 'uasid'. All other eligible members of the primary respondent's household (everyone who is 18 or older in the household) who become UAS respondents receive the 'uasid' of the primary respondent as their household identifier. The identifier 'uashhid' remains constant over time for all respondents. Thus it is always possible to find the original UAS household of an UAS panel member (even after they, for example, have moved out to form another household).
- o survhhid: uniquely identifies the household a UAS panel member belongs to in a given survey. For instance, if the primary respondent and his/her spouse are both UAS members at the time of a given survey, they both receive the same 'survhhid' identifier for that survey. If they subsequently split, they receive two different 'survhhid' in subsequent surveys. They, however, always share the same 'uashhid'. The identifier 'survhhid' is set to missing (.) if no other household members are UAS panel members at the time of the survey. Since individuals can answer the same survey at different points in time (which can be relatively far apart if the survey is kept in the field for a prolonged time), it may be possible that, within the same data set, household members have different 'survhhid' reflecting different household compositions at the time they answered the survey. For instance, suppose that the primary respondent and his/her spouse are both UAS members. If the primary respondent answers the survey when he/she is living with the spouse, but the spouse answers the survey when the couple has split, they receive different 'survhhid'. Hence, the variable 'survhhid' identifies household membership of UAS panel members, at the time the respondent answers the survey. Note: in the My Household survey 'survhhid' is set to unknown (.u) for respondents who last participated in the My Household survey prior to January 21, 2015.
- o uasmembers: is the number of other household members who are also UAS panel members at the time of the survey. Since individuals can answer the same survey at different points in time (which can be relatively far apart is the survey is kept in the field for a prolonged time), it may be possible that, within the same data set, the primary respondent of a household has a value of '0', whereas the second UAS household respondent has a value of '1'. Therefore 'uasmembers' should be interpreted as the

number of household and UAS panel members at the time the respondent answers the survey. Note: in the My Household survey 'uasmembers' is set to unknown (.u) for respondents who last participated in the My Household survey prior to January 21, 2015.

- sampleframe: indicates the sampling frame from which the household of the respondent was recruited. All UAS recruitment is done through address based sampling (ABS) in which samples are acquired based on postal records. Currently, the variable 'sampleframe' takes on four values reflecting four distinct sample frames used by the UAS over the year (in future data sets the number of sample frames used for recruitment may increase if additional specific populations are targeted in future recruitment batches):
 - 1. U.S. National Territory: recruited through ABS within the entire U.S.
 - Areas high concentration Nat Ame: recruited through ABS in areas with a high concentration of Native Americans in the zip-code. Within these batches, individuals who are not Native Americans are not invited to join the UAS.
 - 3. Los Angeles County: recruited through ABS within Los Angeles County.
 - 4. California: recruited through ABS within California.

Note: prior to March 6, 2024 this variable was called sampletype and had the following value labels for the above list in UAS data sets:

- 1. Nationally Representative Sample: recruited through ABS within the entire U.S.
- 2. Native Americans: recruited through ABS in areas with a high concentration of Native Americans. Within these batches, individuals who are not Native Americans are not invited to join the UAS.
- 3. LA County: recruited through ABS within Los Angeles County.
- 4. California: recruited through ABS within California.
- **batch**: indicates the batch from which the respondent was recruited. Currently, this variable takes the following values (in future data sets the number of batches may increase as new recruitment batches are added to the UAS):
 - 1. ASDE 2014/01
 - 2. ASDE 2014/01
 - 3. ASDE 2014/01
 - 4. Public records 2015/05
 - 5. MSG 2015/07
 - 6. MSG 2016/01
 - 7. MSG 2016/01
 - 8. MSG 2016/01
 - 9. MSG 2016/02

- 10. MSG 2016/03
- 11. MSG 2016/04
- 12. MSG 2016/05
- 13. MSG 2016/08
- 14. MSG 2017/03
- 15. MSG 2017/11
- 16. MSG 2018/02
- 17. MSG 2018/08
- 18. MSG 2019/04
- 19. MSG 2019/05
- 20. MSG 2019/11
- 21. MSG 2020/08
- 22. MSG 2020/10
- 23. MSG 2021/02
- 24. MSG 2021/08
- 25. MSG 2021/08
- 26. MSG 2022/02
- 27. MSG 2022/02
- 28. MSG 2022/08
- 29. MSG 2022/11
- 30. MSG 2022/11
- 31. MSG 2023/01
- 32. MSG 2023/06
- 33. MSG 2023/09
- 34. MSG 2023/10

Note: prior to March 6, 2024 this variable had the following value labels for the above list in UAS data sets:

- 1. ASDE 2014/01 Nat.Rep.
- 2. ASDE 2014/01 Native Am.
- 3. ASDE 2014/11 Native Am.
- 4. LA County 2015/05 List Sample
- 5. MSG 2015/07 Nat.Rep.
- 6. MSG 2016/01 Nat.Rep. Batch 2
- 7. MSG 2016/01 Nat.Rep. Batch 3

- 8. MSG 2016/01 Nat.Rep. Batch 4
- 9. MSG 2016/02 Nat.Rep. Batch 5
- 10. MSG 2016/03 Nat.Rep. Batch 6
- 11. MSG 2016/04 Nat.Rep. Batch 7
- 12. MSG 2016/05 Nat.Rep. Batch 8
- 13. MSG 2016/08 LA County Batch 2
- 14. MSG 2017/03 LA County Batch 3
- 15. MSG 2017/11 California Batch 1
- 16. MSG 2018/02 California Batch 2
- 17. MSG 2018/08 Nat.Rep. Batch 9
- 18. MSG 2019/04 LA County Batch 4
- 19. MSG 2019/05 LA County Batch 5
- 20. MSG 2019/11 Nat. Rep. Batch 10
- 21. MSG 2020/08 Nat. Rep. Batch 11
- 22. MSG 2020/10 Nat. Rep. Batch 12
- 22. 1000 2020/10 Nat. 11cp. Batch 12
- 23. MSG 2021/02 Nat. Rep. Batch 13
- 24. MSG 2021/08 Nat. Rep. Batch 15
- 25. MSG 2021/08 Nat. Rep. Batch 16
- 26. MSG 2022/02 Nat. Rep. Batch 17 (priority)
- 27. MSG 2022/02 Nat. Rep. Batch 17 (regular)
- 28. MSG 2022/08 Nat. Rep. Batch 18
- 29. MSG 2022/11 LA County Batch 6
- 30. MSG 2022/11 Nat. Rep. Batch 20
- 31. MSG 2023/01 Nat. Rep. Batch 21
- 32. MSG 2023/06 Nat. Rep. Batch 22
- 33. MSG 2023-09 Native Am. Batch 3
- 34. MSG 2023-10 Nat. Rep. Batch 23
- primary_respondent: indicates if the respondent was the first person within the household (i.e. to become a member or whether s/he was added as a subsequent member. A household in this regard is broadly defined as anyone living together with the primary respondent. That is, a household comprises individuals who live together, e.g. as part of a family relationship (like a spouse/child/parent) or in context of some other relationship (like a roommate or tenant).
- hardware: indicates whether the respondent ever received hardware or not. Note: this variable should not be used to determine whether a respondent received hardware at a given point in time and/or whether s/he used the hardware to participate in a survey. Rather, it indicates whether hardware was ever provided:

- 1. None
- 2. Tablet (includes Internet)
- **language**: the language in which the survey was conducted. This variable takes a value of 1 for English and a value of 2 for Spanish.
- start_date (start_year, start_month, start_day, start_hour, start_min, start_sec): indicates the time at which the respondent started the survey.
- end_date (end_year, end_month, end_day, end_hour, end_min, end_sec): indicates the time at which the respondent completed the survey.
- o cs_001: indicates how interesting the respondent found the survey.

4 BACKGROUND DEMOGRAPHICS

Every UAS survey data set includes demographic variables, which provide background information about the respondent and his/her household. Demographic information such as age, ethnicity, education, marital status, work status, state of residence, family structure is elicited every quarter through the "My Household" survey. The demographic variables provided with each survey are taken from the most recent 'MyHousehold' survey answered by the respondent. If at the time of a survey, the information in "My Household" is more than three months old, a respondent is required to check and update his or her information before being able to take the survey.

The following variables are available in each survey data set:

- o gender: the gender of the respondent.
- o dateofbirth_year: the year of birth of the respondent.
- o age: the age of the respondent at the start of the survey.
- o **agerange**: if the respondent's age cannot be calculate due to missing information, 'agerange' indicates the approximate age. Should a value for both the 'age' and 'agerange' be present, then 'age' takes precedence over 'agerange'.
- o citizenus: indicates whether the respondent is a U.S. citizen.
- o bornus: indicates whether the respondent was born in the U.S.
- **stateborn**: indicates the state in which the respondent was born. This is set to missing (.) if the respondent was not born in the U.S.
- **countryborn**: indicates the country in which the respondent was born. This is set to missing (.) if the respondent was born in the U.S.
- **countryborn_other**: indicates the country of birth if that country is not on the drop down list of countries shown to the respondent'.
- **statereside**: the state in which the respondent is living.
- immigration_status: indicates whether the respondent is an immigrant. It takes one
 of the following values: 0 Non-immigrant, 1 First generation immigrant (immigrant who
 migrated to the U.S), 2 Second generation immigrant (U.S.-born children of at least
 one foreign-born parent), 3 Third generation immigrant (U.S.-born children of at least
 one U.S.-born parent, where at least one grandparent is foreign-born), or 4 Unknown
 immigrant status.
- maritalstatus: the marital status of the respondent.
- **livewithpartner**: indicates whether the respondent lives with a partner.

- education: the highest level of education attained by the respondent.
- hisplatino: indicates whether the respondent identifies him or herself as being Hispanic or Latino. This variable is asked separately from race.
- hisplatinogroup: indicates which Hispanic or Latino group a respondent identifies him or herself with. This is set to missing (.) if the respondent does not identify him or herself as being Hispanic or Latino.
- white: indicates whether the respondent identifies him or herself as white (Caucasian).
- **black**: indicates whether the respondent identifies him or herself as black (African-American).
- nativeamer: indicates whether the respondent identifies him or herself as Native American (American Indian or Alaska Native).
- asian: indicates whether the respondent identifies him or herself as Asian (Asian-American).
- pacific: indicates whether the respondent identifies him or herself as Native Hawaiian or Other Pacific Islander.
- o race: indicates the race of the respondent as singular (e.g., '1 White' or '2 Black') or as mixed (in case the respondent identifies with two or more races). The value '6 Mixed' that the respondent answered 'Yes' to at least two of the single race categories. This variable is generated based on the values of the different race variables (white, black, nativeamer, asian, pacific). This composite measure is not conditional on hisplatino, so an individual may identify as Hispanic or Latino, and also as a member of one or more racial groups.
- working: indicates whether the respondent is working for pay.
- o sick_leave: indicates whether the respondent is not working because sick or on leave.
- unemp_layoff: indicates whether the respondent is unemployed or on lay off.
- unemp_look: indicates whether the respondent is unemployed and looking for a job.
- retired: indicates whether the respondent is retired.
- o disabled: indicates whether the respondent has a disability.
- o If_other: specifies other labor force status.
- laborstatus: indicates the labor force status of the respondent as singular (e.g., '1 Working for pay' or '2 On sick or other leave') or as mixed (in case the respondent selects two or more labor statuses). The value '8 Mixed' indicates that the respondent answered 'Yes' to at least two of the single labor force status variables. This variable is generated based on the values of the different labor status variables (working, sick_leave, unempl_layoff, unempl_look, retired, disabled, lf_other).

- employmenttype: indicates the employment type of the respondent (employed by the government, by a private company, a nonprofit organization, or self-employed).
 This is set to missing (.) if the respondent is not currently working or currently on sick or other leave.
- workfullpart: indicates whether the respondent works full or part-time. This is set to missing (.) if the respondent is not currently working or currently on sick or other leave.
- hourswork: indicates the number of hours the respondent works per week. This is set to missing (.) if the respondent is not currently working or currently on sick or other leave.
- **hhincome**: is the total combined income of all members of the respondent's household (living in their household) during the past 12 months.
- **anyhhmember**: indicates whether there were any members in the respondent's household at the time he/she answered the survey as reported by the respondent.
- hhmembernumber: indicates the number of household members in the respondent's household at the time of the survey as reported by the respondent. It may be that 'anythmember' is 'Yes', but 'hhmembernumber' is missing if the respondent did not provide the number of household members at the time of the survey.
- hhmemberin_#: indicates whether a household member is currently in the household as reported by the respondent. Household members are never removed from the stored household roster and their information is always included in survey data sets. The order of the roster is the same order in which household members were specified by the respondent in the 'MyHousehold' survey. The order is identified by the suffix _# (e.g., _1 indicates the first household member, _2 the second household member, etc.).

As an example, if the first household member is in the household at the time of the survey, 'hhmemberin_1' is set to '1 HH Member 1 is in the HH'; if he/she has moved out, 'hhmemberin_1' is set to '0 HH member 1 is no longer in the HH'. Since information of other household members (stored in the variables listed below) is always included in survey data sets, information about 'hhmemberin_1' is available whether this person is still in the household or has moved out.

- **hhmembergen**_#: indicates the gender of another household member as reported by the respondent.
- hhmemberage_#: indicates the age of another household member. The age is derived from the month and year of birth of the household member as reported by the respondent.
- **hhmemberrel**_#: indicates the relationship of the respondent to the other household member as reported by the respondent.

- o hhmemberuasid_#: is the 'uasid' of the other household member if this person is also a UAS panel member. It is set to missing (.) if this person is not a UAS panel member at the time of the survey. Since this identifier is directly reported by the respondent (chosen from a preloaded list), it may differ from the actual (correct) 'uasid' of the UAS member it refers to because of reporting error. Also, this variable should not be used to identify UAS members in a given household at the time of the survey. This is because the variables 'hhmemberuasid_#' are taken from the most recent 'My Household' and changes in household composition involving UAS members may have occurred between the time of the respondent answered 'My Household' and the time the respondent answers the survey. To follow UAS members of a given household, it is advised to use the identifiers 'uashhid' and 'survhhid'.
- **lastmyhh_date**: the date on which the demographics variables were collected through the 'My Household' survey.

5 MISSING DATA CONVENTIONS

Data files provide so-called clean data, that is, answers given to questions that are not applicable anymore at survey completion (for example because a respondent went back in the survey and skipped over a previously answered question) are treated as if the questions were never asked. In the data files all questions that were asked, but not answered by the respondent are marked with (.e). All questions never seen by the respondent (or any dirty data) are marked with (.a). The latter may mean that a respondent did not view the question because s/he skipped over it; or alternatively that s/he never reached that question due to a break off. If a respondent did not complete a survey, the variables representing survey end date and time are marked with (.c). Household member variables are marked with (.m) if the respondent has less household members (e.g. if the number of household members is 2, any variables for household member 3 and up are marked with (.m).

UAS provides data in STATA and CSV format. Stata data sets come with include variable labels that are not available in the CSV files. Value labels are provided for single-response answer option. In STATA these labels will include the labels 'Not asked' and 'Not answered' for (.a) and (.e), and will show in tabulations such as 'tab q1, missing'. For multiple-response questions a binary variable is created for each answer option indicating whether the option was selected or not. A summary variable is also provided in string format reflecting which options were selected and in which order. For example, if a question asked about favorite animals with options cat, dog, and horse, then if a respondent selected horse and then cat, the binary variables for horse and cat will be set to yes, while the overall variable would have a string value of '3-1'. If no answer was given, all binary variables and the summary variable will be marked with '.e'.

Questions that are asked multiple times are often implemented as so-called array questions. Supposing the name of such question was Q1 and it was asked in 6 different instances, your data set would contain the variables Q1_1_ to Q1_6_. To illustrate, if a survey asked the names of all children, then child_1_ would contain the name of the first child the respondent named and so on.

More information about the UAS data in general can be found on the UAS Data Pages web site.

6 ROUTING SYNTAX

The survey with routing presented in the next section includes all of the questions that make up this survey, the question answers when choices were provided, and the question routing. The routing includes descriptions of when questions are grouped, conditional logic that determines when questions are presented to the respondent, randomization of questions and answers, and fills of answers from one question to another.

If you are unfamiliar with conditional logic statements, they are typically formatted so that *if* the respondent fulfills some condition (e.g. they have a cellphone or a checking account), *then* they are presented with some other question or the value of some variable is changed. If the respondent does not fulfill the condition (e.g. they are not a cellphone adopter or they do not have a checking account), something *else* happens such as skipping the next question or changing the variable to some other value. Some of the logic involved in the randomization of questions or answers being presented to the respondent is quite complex, and in these instances there is documentation to clarify the process being represented by the routing.

Because logic syntax standards vary, here is a brief introduction to our syntax standards. The syntax used in the conditional statements is as follows: '=' is equal to, '<' is less than, '>' is greater than, and '!=' is used for does not equal. When a variable is set to some number N, the statement looks like 'variable := N'.

The formatting of the questions and routing are designed to make it easier to interpret what is occurring at any given point in the survey. Question ID is the bold text at the top of a question block, followed by the question text and the answer selections. When a question or variable has associated data, the name links to the appropriate data page, so you can easily get directly to the data. Text color is used to indicate the routing: red is conditional logic, gold is question grouping, green is looping, and orange is used to document randomization and other complex conditional logic processes. The routing is written for a computer to parse rather than a human to read, so when the routing diverges significantly from what is displayed to the respondent, a screenshot of what the respondent saw is included.

The name of the randomization variables are defined in proximity to where they are put into play, and like the question ID the names of the randomization variables can be used to link directly to the associated data page.

7 SURVEY WITH ROUTING

Start of section Task1

mainintro (Section Task1)

This survey consists of two tasks. Please click "Next" to continue.

mainintro2 (Section Task1)

You are now ready to start the first task.

Please note that this task needs to be completed in one sitting. If you stop before the end you will have to restart the task from the beginning.

/* The first task asks respondents to go through several trials in which they have to choose between two symbols. Depending on the chosen symbol they win a point, lose a point, or not win/lose. In the first part of the task respondents are shown the result of their choice. Respondents then need to remember which symbols give points in the second part of the task, where they go through a second series of trials. Respondents are paid based on the number of points they finish with, starting with 60 points. */

customTask1 (Section Task1)

Figure 1: Task 1 screen 1



Figure 2: Task 1 screen 2

This first task consists of two parts. You will receive a bonus payment depending on how many points you earn during the task.

You will start the task with 60 points. At the end of this task, we will add these 60 points to the points you earned. Each point will be worth \$0.025. For example, if you earned 10 points during the two task parts, you would have 70 points that will correspond to \$1.75.

Your bonus payment will be added to the standard UAS compensation at the end of the survey.

Figure 3: Task 1 screen 3

In the first part, you will go through several trials.

On each trial, you will have to choose between two symbols displayed on either side of the screen.

You should choose by clicking on one of the symbols.

Figure 4: Task 1 screen 4

Each symbol has a different chance of either winning or losing points.

Please note that the side on which the symbols are displayed does not matter.

For each symbol, the possible outcomes are -1 (you lose one point), 0 (no win, no loss), or 1 (you win one point).

Your goal is to score as many points as possible across all the trials.

Figure 5: Task 1 screen 5

After each choice, the symbol you chose will be highlighted and you will see the outcome associated with your choice.

The outcome is how many points you have won or lost.

In the example below, you chose letter B and you lost 1 point.




Figure 6: Task 1 screen 6

In some trials, you will also see how many points you could have won or lost if you had chosen the other option.

But please remember that only the outcome of the chosen option will count toward your total points.

In this example, you chose letter G and you scored 0 points. If you had chosen D, you would have won 1 point.

Figure 7: Task 1 screen 7

Please note that a symbol that makes you win in one trial does not necessarily make you win all the time.

Similarly, a symbol that makes you lose in one trial does not necessarily make you lose all the time.

In the example below, letter B makes you lose 1 point in this particular trial. But this does not mean that you will lose 1 point every time you choose B.

Figure 8: Task 1 screen 8

Let's practice this task!

Points collected in practice trials, do not count towards the final payoff.

You can repeat the practice twice.

Figure 9: Task 1 screen 9



Figure 10: Task 1 screen 10



Figure 11: Task 1 screen 11



Figure 12: Task 1 screen 12

This is the end of the first part!

You won 3 points.

Figure 13: Task 1 screen 13




Figure 14: Task 1 screen 14

This is the end of the second part! You lost 4 points.

Figure 15: Task 1 screen 15




Figure 16: Task 1 screen 16

mainintro3 (Section Task1)

Thank you! You are now ready to start the second task. Please click "Next" to continue.

End of section Task1

Start of section Task2

ta_intro (Section Task2)

You will now watch a slideshow of pictures. Please view the pictures as if you were watching television.

We will ask you to rate how the picture made you feel emotionally. The rating can go from -4 (extremely negative emotion) to 4 (extremely positive emotion). A rating of 0, in the middle of the range, would indicate neutral emotion (neither negative nor positive).

Please select the number that best represents how the picture makes you feel.

You will have 3 seconds to view the picture. After that the picture disappears and you can provide your rating.

Let's do some practice. Click the "Next" button to start.

/* Respondents are shown pictures in random order per variables ta_image_order with values:

- o 1 7050.jpg
- o 2 7059.jpg
- o 3 7081.jpg
- o 4 2411.jpg
- o 5 2635.jpg
- o 6 2880.jpg
- o 7 5510.jpg
- o 8 7037.jpg
- o 9 7217.jpg
- o 10 7512.jpg
- o 11 7560.jpg
- o 12 7640.jpg
- o 13 1340.jpg
- o 14 1440.jpg

```
o 15 1710.jpg
```

- o 16 2057.jpg
- o 17 2209.jpg
- o 18 2391.jpg
- o 19 5470.jpg
- o 20 5833.jpg
- o 21 7330.jpg
- o 22 8190.jpg
- o 23 1274.jpg
- o 24 2205.jpg
- o 25 2900.jpg
- o 26 3301.jpg
- o 27 6311.jpg
- o 28 9395.jpg
- o 29 9470.jpg
- o 30 9440.jpg
- o 31 9911.jpg
- o 32 9925.jpg

The actual pictures are not included here, but the nature of the images are as follows:

- o Image 1/2/3: practice
- o Image 4-12: neutral
- o Image 13-22: positive
- o Image 23-32: negative

*/

IF sizeof(ta_image_order) = 0 THEN
| ta_image_order := getImageOrder()

END OF IF

LOOP FROM 1 TO 3

Fill code of question FLImage(cnt) executed

ta_image (image task in section Task2)

- 1 -4 Extremely negative
- 2 -3
- 3 -2
- 4 -1
- 5 0 Neutral
- 6 1
- 72
- 83
- 9 4 Extremely positive

Figure 17: Task 2 example screen



-4 Extremely negative	-3	-2	-1	0 Neutral	1	2	3	4 Extremely positive
0	0	0	0	0	0	0	0	0
				Next >>				

END OF LOOP

ta_start (Section Task2)

You will now start the actual task. Please view each picture and provide your rating by clicking on the number that best represents how the picture makes you feel.

LOOP FROM 4 TO 32

Fill code of question FLImage(cnt) executed

ta_image (image task in section Task2)

- 1 -4 Extremely negative
- 2 -3
- 3 -2
- 4 -1
- 5 0 Neutral
- 6 1
- 72
- 83
- 9 4 Extremely positive

END OF LOOP

ta_end (Section Task2)

That is the end of the rating task!

We will now ask you to recall the pictures that you just saw and describe them in words. You will have a total of three minutes to recall and describe the pictures.

Please give a short description of 1-3 words for each picture that you remember in the provided text boxes. For example, if you were recalling the picture below, a possible description would be 'Ironing board'. Please provide enough detail so that it would be possible for a person reading your description to determine which picture you are remembering.

Feel free to recall and describe the pictures in any order you want. You do not need to recall the pictures from the practice trials.

Click the "Next" button when you are ready to start.

GROUP OF QUESTIONS PRESENTED ON THE SAME SCREEN

ta_timer (Section Task2)

ta_description_intro (Section Task2)

Please give a short description of 1-3 words for each picture that you remember in the provided text boxes. Feel free to recall and describe pictures in any order you want.

LOOP FROM 4 TO 32

ta_description (description of picture in section Task2) STRING

END OF LOOP

ta_message (Section Task2)

Please provide one or more descriptions or click "Next" to continue.

END OF GROUP

ta_seen (seen images before in section Task2)

That's the end of the recall task. Thank you for your responses.

Please indicate if you have seen any of these pictures in a previous online experiment.

1 Yes

2 No

End of section Task2

Start of section Closing

CS_001 (HOW PLEASANT INTERVIEW in section Closing)

Could you tell us how interesting or uninteresting you found the questions in this interview?

- 1 Very interesting
- 2 Interesting
- 3 Neither interesting nor uninteresting
- 4 Uninteresting
- 5 Very uninteresting

CS_003 (comments in section Closing)

Do you have any other comments on the interview? Please type these in the box below.(If you have no comments, please click next to complete this survey.) STRING

End of section Closing

 $^{\prime *}$ Please note that although question CS_003 is listed in the routing, the answers are not included in the microdata in the event identifiable information is captured. Cleaned responses are available by request. $^{*}/$